

Public Libraries Test Results 2018-19

<u>Library</u>	<u>Page #</u>
1. Main Library.....	<u>2</u>
2. Bellevue Library	<u>3</u>
3. Bordeaux Library	<u>4</u>
4. Donelson Library	<u>5</u>
5. East Library	<u>6</u>
6. Edgehill Library	<u>7</u>
7. Edmondson Library	<u>8</u>
8. Goodlettsville Library.....	<u>9</u>
9. Green Hills Library	<u>10</u>
10. Hadley Library	<u>11</u>
11. Hermitage Library	<u>12</u>
12. Inglewood Library	<u>13</u>
13. Looby Library.....	<u>14</u>
14. North Library.....	<u>15</u>
15. Old Hickory Library	<u>16</u>
16. Pruitt Library.....	<u>17</u>
17. Thompson Library	<u>18</u>
18. Richland Park Library	<u>18</u>
19. Watkins Library	<u>19</u>
20. Madison Library	<u>20</u>

Radon test result report for:
MAIN LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962678	9999	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962582	ANNEX ROOM	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	0.8 ± 0.3	2018-02-19
7962583	CIRCULATION ROOM	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962584	CONFERENCE STAFF	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962299	MAINTENACE	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962586	MATERIALS MANAGE	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962587	MATERIALS MANAGE	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	0.6 ± 0.3	2018-02-19
7962300	NORMA&APOS;S OFF	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	0.7 ± 0.3	2018-02-19
7962585	POPULAR MATERIAL	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962580	SHIPPING/RECEIVI	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962581	SORTING ROOM	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19
7962588	TECHNOLOGY SERVI	2018-02-14 @ 11:00 am	2018-02-16 @ 11:00 am	< 0.3	2018-02-19

Radon test result report for:
BELLEVUE LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962798	9999	2018-05-22 @ 11:00 am	2018-05-24 @ 11:00 am	< 0.3	2018-05-25
7962795	CHILDREN&APOS;S INFO DESK	2018-05-22 @ 11:00 am	2018-05-24 @ 11:00 am	< 0.3	2018-05-25
7962796	CONFERENCE ROOM	2018-05-22 @ 11:00 am	2018-05-24 @ 11:00 am	< 0.3	2018-05-25
7962794	NON-FICTION 660-782	2018-05-22 @ 11:00 am	2018-05-24 @ 11:00 am	< 0.3	2018-05-25
7962797	STAFF WORK AREA	2018-05-22 @ 11:00 am	2018-05-24 @ 11:00 am	< 0.3	2018-05-25

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 18, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
BORDEAUX LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962791	ADULT NON-FICTION	2018-05-15 @ 12:00 pm	2018-05-17 @ 12:00 pm	0.8 ± 0.2	2018-05-18
7962790	CHILDREN&APOS;S AREA	2018-05-15 @ 12:00 pm	2018-05-17 @ 12:00 pm	0.8 ± 0.2	2018-05-18
7962792	MAGAZINE	2018-05-15 @ 12:00 pm	2018-05-17 @ 12:00 pm	1.2 ± 0.2	2018-05-18
7962793	STAFF BREAK ROOM	2018-05-15 @ 12:00 pm	2018-05-17 @ 12:00 pm	< 0.3	2018-05-18

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

June 1, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
DONELSON LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7207363	DVD&APOS;S SHELF	2018-05-29 @ 11:00 am	2018-05-31 @ 12:00 pm	1.1 ± 0.2	2018-06-01
7207362	MEETING ROOM	2018-05-29 @ 11:00 am	2018-05-31 @ 12:00 pm	1.0 ± 0.2	2018-06-01
7207364	STAFF WORK AREA	2018-05-29 @ 11:00 am	2018-05-31 @ 12:00 pm	1.1 ± 0.2	2018-06-01

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 10, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
EAST LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962384	JUV NON-FICTION	2018-05-07 @ 12:00 pm	2018-05-09 @ 11:00 am	1.4 ± 0.2	2018-05-10
7962383	MEETING ROOM	2018-05-07 @ 12:00 pm	2018-05-09 @ 11:00 am	< 0.3	2018-05-10
7962386	STAFF ROOM	2018-05-07 @ 12:00 pm	2018-05-09 @ 11:00 am	1.9 ± 0.3	2018-05-10

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 30, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
EDGE HILL LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962799	NON-FICTION A-F	2018-05-22 @ 12:00 pm	2018-05-24 @ 12:00 pm	3.3 ± 0.4	2018-05-25
7207357	PROGRAM ROOM	2018-05-22 @ 12:00 pm	2018-05-24 @ 12:00 pm	3.1 ± 0.3	2018-05-25
7207358	PROGRAM ROOM	2018-05-22 @ 12:00 pm	2018-05-24 @ 12:00 pm	3.0 ± 0.3	2018-05-25
7207356	STAFF WORK AREA	2018-05-22 @ 12:00 pm	2018-05-24 @ 12:00 pm	3.5 ± 0.3	2018-05-25

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
EDMONDSON LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962376	CHILDREN SERVICE DESK	2018-04-24 @ 11:00 am	2018-04-26 @ 12:00 pm	1.1 ± 0.4	2018-04-30
7962378	CHILDREN&APOS;S AREA	2018-04-24 @ 11:00 am	2018-04-26 @ 12:00 pm	0.8 ± 0.3	2018-04-30
7962377	CONFERENCE ROOM	2018-04-24 @ 11:00 am	2018-04-26 @ 12:00 pm	0.8 ± 0.3	2018-04-30
7962380	STAFF WORK AREA	2018-04-24 @ 11:00 am	2018-04-26 @ 12:00 pm	1.1 ± 0.4	2018-04-30
7962379	TEENS HELP DESK	2018-04-24 @ 11:00 am	2018-04-26 @ 12:00 pm	1.1 ± 0.4	2018-04-30

Radon test result report for:

GOODLETTSVILLE LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962389	CAF AREA	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	1.2 ± 0.2	2018-05-10
7962390	CAF AREA	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	1.4 ± 0.3	2018-05-10
7962392	CHILDREN&APOS;S AREA	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	1.3 ± 0.3	2018-05-10
7962393	NEW NON-FICTION	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	1.4 ± 0.3	2018-05-10
7962391	STAFF WORK ROOM	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	1.1 ± 0.2	2018-05-10

May 18, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
GREEN HILLS LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962399	CHILDREN&APOS;S INFO DESK	2018-05-15 @ 11:00 am	2018-05-17 @ 12:00 pm	< 0.3	2018-05-18
7962397	INFORMATION DESK	2018-05-15 @ 11:00 am	2018-05-17 @ 12:00 pm	< 0.3	2018-05-18
7962396	MAGAZINE	2018-05-15 @ 11:00 am	2018-05-17 @ 12:00 pm	< 0.3	2018-05-18
7962398	STAFF BREAK ROOM	2018-05-15 @ 11:00 am	2018-05-17 @ 12:00 pm	< 0.3	2018-05-18

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
HADLEY LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962595	BRANCH MANAGER O	2018-02-15 @ 11:00 am	2018-02-20 @ 12:00 pm	1.0 ± 0.2	2018-02-21
7962596	COMPUTER ROOM	2018-02-15 @ 11:00 am	2018-02-20 @ 12:00 pm	0.8 ± 0.2	2018-02-21
7962598	FICTION A-B	2018-02-15 @ 11:00 am	2018-02-20 @ 12:00 pm	1.0 ± 0.2	2018-02-21
7962597	STAFF WORK AREA	2018-02-15 @ 11:00 am	2018-02-20 @ 12:00 pm	1.2 ± 0.2	2018-02-21

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

June 1, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
HERMITAGE LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7207368	BRANCH MANAGER OFFICE	2018-05-29 @ 12:00 pm	2018-05-31 @ 12:00 pm	< 0.3	2018-06-01
7207367	NON-FICTION 001-231.1	2018-05-29 @ 12:00 pm	2018-05-31 @ 12:00 pm	< 0.3	2018-06-01
7207365	SERIERS/CHILDREN&APOS;S AREA	2018-05-29 @ 12:00 pm	2018-05-31 @ 12:00 pm	< 0.3	2018-06-01
7207366	STAFF BREAK ROOM	2018-05-29 @ 12:00 pm	2018-05-31 @ 12:00 pm	< 0.3	2018-06-01

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
INGLEWOOD LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962387	CHILDREN&APOS;S AREA	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	0.6 ± 0.2	2018-05-10
7962385	MEETING ROOM	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	0.5 ± 0.2	2018-05-10
7962381	NON-FICTION BOOKSHELF	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	< 0.3	2018-05-10
7962388	STAFF WORK ROOM	2018-05-07 @ 1:00 pm	2018-05-09 @ 12:00 pm	0.7 ± 0.2	2018-05-10

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
LOOBY LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962589	ADULT FICTION	2018-02-14 @ 2:00 pm	2018-02-20 @ 11:00 am	0.8 ± 0.2	2018-02-21
7962591	BRANCH MANAGER O	2018-02-14 @ 2:00 pm	2018-02-20 @ 11:00 am	1.0 ± 0.2	2018-02-21
7962592	COMPUTER ROOM	2018-02-14 @ 2:00 pm	2018-02-20 @ 11:00 am	0.7 ± 0.2	2018-02-21
7962590	STAFF ROOM	2018-02-14 @ 2:00 pm	2018-02-20 @ 11:00 am	0.9 ± 0.2	2018-02-21

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 10, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
NORTH LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962395	BRANCH MANGER OFFICE	2018-05-07 @ 2:00 pm	2018-05-09 @ 1:00 pm	0.8 ± 0.2	2018-05-10
7962394	MEETING ROOM	2018-05-07 @ 2:00 pm	2018-05-09 @ 1:00 pm	1.7 ± 0.3	2018-05-10

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
OLD HICKORY LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7207371	BRANCH MANAGER OFFICE	2018-05-29 @ 12:00 pm	2018-05-31 @ 1:00 pm	< 0.3	2018-06-01
7207370	CHILDREN&APOS;S NON-FICTION	2018-05-29 @ 12:00 pm	2018-05-31 @ 1:00 pm	< 0.3	2018-06-01
7207369	MEETING ROOM	2018-05-29 @ 12:00 pm	2018-05-31 @ 1:00 pm	0.6 ± 0.2	2018-06-01

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

May 30, 2018

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
PRUITT LIBRARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7207359	CHILDREN&APOS;S AREA	2018-05-22 @ 1:00 pm	2018-05-24 @ 1:00 pm	0.8 ± 0.2	2018-05-25
7207360	COMPUTER LAB	2018-05-22 @ 1:00 pm	2018-05-24 @ 1:00 pm	< 0.3	2018-05-25

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
7962255	2017-12-08	11:00 am	2017-12-11	12:00 am	70	THOMPSON LANE BRANCH		ADULT AREA		3	0.9
7962256	2017-12-08	11:00 am	2017-12-11	12:00 am	67	THOMPSON LANE BRANCH		CHILDRENS AREA		3	0.5
7962258	2017-12-08	11:00 am	2017-12-11	12:00 am	80	THOMPSON LANE BRANCH		OFFICE		3	1.1
7962259	2017-12-08	11:00 am	2017-12-11	12:00 am	83	THOMPSON LANE BRANCH		BRANCH MANGER OFFICE		3	1.2
7962260	2017-12-08	12:00 pm	2017-12-11	12:00 am	68	RICHLAND BRANCH		CHILDRENS AREA		3	5.4
7962261	2017-12-08	12:00 pm	2017-12-11	12:00 am	75	RICHLAND BRANCH		ADULT AREA		3	5.1
7962262	2017-12-08	12:00 pm	2017-12-11	12:00 am	75	RICHLAND BRANCH		BRANCH MANGER OFFICE		3	5.4

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
7962394	2018-05-07	2:00 pm	2018-05-09	1:00 pm	72	NORTH LIBRARY		MEETING ROOM		3	1.7
7962395	2018-05-07	2:00 pm	2018-05-09	1:00 pm	69	NORTH LIBRARY		BRANCH MANGER OFFICE		3	0.8

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9203249	2019-08-23	11:00 am	2019-08-26	10:00 am	74	MADISON LIBRARY		STORY TIME ROOM		3	< 0.3
9203250	2019-08-23	11:00 am	2019-08-26	10:00 am	71	MADISON LBRARY		TEEN ROOM		3	< 0.3

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498